

AIRVIEW LOUVRES™



www.klimat.com.au

by **KLIMAT™**



INTRODUCING KLIMAT AUSTRALIA

Klimat Australia is the new name in climate control systems. Klimat's products range from adjustable and fixed louvres to door air grilles and aluminium sunshades. Backed by Lidco's 60 years experience in architectural framing systems, Klimat's focus is on developing this louvre market.

The Klimat Airview adjustable louvre is the perfect choice of window where maximum ventilation and thermal efficiency are an integral part of your building's design. Airview Louvres offer designers and homeowners the ability to create either a contemporary or traditional style and can be applied in a variety of applications.

The Airview Louvre keeps the weather out. The custom designed framing has been extensively tested by an independent NATA approved testing laboratory and has passed the requirements of AS2047 'Windows in Buildings.'



The Airview Louvre is built to last. The use of low maintenance aluminium, UV resistant materials and stainless steel fittings provides for a long, trouble free life. Feel free to come and have a look at some Klimat systems at your nearest showroom.

AIRVIEW LOUVRES

KEY FEATURES

Better Built

- + Airview Louvres are an effective window system controlling airflow and light whilst offering complete weather protection
- + Insects are a thing of the past as the unique framing system has insect and safety screens as an integral part of the design
- + Klimat's Airview Louvre gallery accepts 102mm and 152mm louvre blades. The gallery is easily snapped into Lidco's framing systems, eliminating the use of screws to hold the louvre in position
- + A plant-in weather bar system is available to assist weather performance for timber and masonry installations
- + The Airview Frame is suitable for both residential and commercial applications

Better Finished

- + Slim lines combined with a variety of finishes make Klimat's Airview Louvres an architectural feature for your home
- + Featuring aluminium, glass or cedar blades, Airview Louvres offer the ultimate in design flexibility
- + Contemporary colours combined with a stylish bladeholder and easy to use opening mechanism make Airview Louvres the perfect choice

Better Control

- + An extensive range of control gear adaptors allow the application of manual & remote opening mechanisms to be fitted
- + Torsion bar handle allows dual operation
- + Optional fixed glass extension allows adjustment of the louvre heights to suit non standard openings

Better Security


- + Barrier bars can be installed into the Airview Frame
- + An integrated security system is available for Klimat Louvre systems
- + Aluminium security jamb adaptors are supplied pre-punched and can be finished to match the louvre's framing

choice of colour clips

aluminium, timber or glass blades

weather seal

optional flyscreen



Number of Blades	Aluminium Frame		Louvre Gallery	
	Height (mm) for 152mm Louvre Blade	Height (mm) for 102mm Louvre Blade	Height (mm) for 152mm Louvre Blade	Height (mm) for 102mm Louvre Blade
2	356	-	305	-
3	496	343	445	292
4	636	432	585	381
5	776	521	725	470
6	916	610	865	559
7	1056	699	1005	648
8	1196	788	1145	737
9	1336	877	1285	826
10	1476	966	1425	915
11	1616	1055	1565	1004
12	1756	1144	1705	1093
13	1896	1233	1845	1182
14	2036	1322	1985	1271
15	2176	1411	2125	1360
16	2316	1500	2265	1449
17	2456	1589	2405	1538
18	-	1678	-	1627
19	-	1767	-	1716
20	-	1856	-	1805
21	-	1945	-	1894
22	-	2034	-	1983
23	-	2123	-	2072
24	-	2212	-	2161
25	-	2301	-	2250
26	-	2390	-	2339
27	-	2479	-	2428

PRODUCT FEATURES

Optional Accessories

- + Fixed Glass Extensions to cater for non-standard opening sizes
- + Map Hook Adaptor allows manual operation in hard to reach applications
- + Stacking Sleeve for continuous louvre galleries or fixed glass extensions
- + Remote Control Adaptors allows remote control operation
- + Clip Adaptors for 14mm aluminium and timber blades
- + Integrated Flyscreen means no need for unsightly adaptors
- + Key Locking Option + Barrier Bars for increased security

Dimensions

Blades: 6mm Glass
6mm or 14mm Aluminium
14mm Western Red Cedar

Finishes

Blade & Frame: Large variety of powdercoating options

Clips: Black, White and Grey



Lidco Architectural Framing Systems

191 Botany Road, NSW 2015 Australia
T 02 8396 6000 www.lidco.com.au

Performance Details

Water: Up to 450 Pa or 600 Pa using extended weather bar
Wind: Up to 3000 Pa

Your nearest supplier: