



 **Comcork Flooring**

## **AquaDeck** surface profile

AquaDeck surface profile has a small significantly raised stud in either diamond or round pattern, which is further abraded to provide extra anti-slip.

It is designed for external excessive wet conditions, with the raised stud allowing water to be channelled away.

**MADE IN  
AUSTRALIA**

**QUIET, COMFORTABLE, ANTI-SLIP, HEAVY DUTY FLOORING**



## Applications:



Pontoon Decking



Marine Decking



Wharves  
Jetties



External Ramps  
Walk Ways

 **Comcork Flooring**

QUIET, COMFORTABLE, ANTI-SLIP, HEAVY DUTY FLOORING

## AquaDeck surface profile

AquaDeck surface profile has a small significantly raised stud in either diamond or round pattern, which is further abraded to provide extra anti-slip.

It is designed for external excessive wet conditions, with the raised stud allowing water to be channelled away.



AD 1020

Teak



AD 1025

Pacific Blue



AD 1040

Green



AD 1012

Sand



AD 1050

Steel Grey




AD 1060

Black



AD 1070

Pacific Blue



Lower level allows water to be channelled away

Significantly raised small stud  
Abraded to provide extra anti-slip

## AquaDeck surface profile

Designed for external excessive wet conditions, with the raised stud allowing water to be channelled away, available in either diamond or round pattern, abraded to provide extra anti-slip.

### COMCORK FLOORING . . . NATURALLY UNIQUE

The secret behind Comcork Flooring is its unique blend of cork and rubber. Cork, a natural renewable resource harvested from cork trees, is made up of an amazing cell structure containing millions of tiny cells which have trapped air inside. Combine this with the flexibility of rubber and you have a product which offers some very special benefits.



Cork has a unique cell structure made up of millions of tiny cells filled with air-called tetracapped hexagons.

### COMCORK FLOORING KEY BENEFITS

#### Comfort:

Comcork Flooring is more comfortable than traditional flooring. Its unique cork cell structure acts like miniature cushions underfoot, helping to reduce impact on joints and muscles.

#### Quieter:

The special cork cell structure acts as a natural sound dampener - absorbing and limiting the transfer of sound - providing a quieter environment.

#### Warmth & Coolness:

The air trapped inside the unique cell structure acts like insulation, providing a natural barrier to unwanted outside air - making it much warmer in winter and cooler in summer.

#### Safer:

Comcork Flooring provides excellent anti-slip in both wet and dry conditions. Both cork and rubber have naturally high frictional properties. The cork particles act like little suction cups, gripping underfoot, creating a much safer workplace.

### TECHNICAL INFORMATION

**Dimensions:** Sheets: 1800 mm x 900 mm

**Specification:** Thickness (mm) 3.0  
Weight (kg/m<sup>2</sup>) 2.5

**Slip Resistance:** Comcork Flooring provides excellent anti-slip in both wet and dry conditions Tested to AS/NZS 3661 - 1993 Slip Resistance of Pedestrian Surfaces

**Chemical Resistance:** Comcork Flooring is resistant to most common acids, alkalis, oils and greases

**Installation:** Must be in accordance with AS 1884-1985 and conform with the recommended Comcork Flooring Installation Instructions

**Maintenance:** Comcork Flooring should be maintained in accordance with the Comcork Flooring Maintenance Program

**Warranty:** Comcork Flooring warrants its flooring within the terms of Comcork's Standard warranty, against specific suitable installations, when installed correctly and in accordance with the Comcork Flooring Installation Instructions.

Consult your distributor for specific details regarding the above areas

### APPLICATIONS



Marine Decking Wharves Jetties Pontoon Decking External Ramps Walk Ways

### Comcork Flooring Distributors

**Victoria:** Comcork Flooring Ph: 03 9544 2288 **New South Wales:** Safety Floorings Ph: 02 9955 5127  
**Queensland:** Safety Floor Australia Ph: 07 3254 1966 **Western Australia:** Classic Flooring Distributors Ph: 08 9434 4800  
**South Australia:** D. E. Seal & Sons PH: 08 8234 1180 **Tasmania:** Comcork Flooring Ph: 03 9544 2288